NEW MEXICO
ENVIRONMENT DEPARTMENT

SUSANA MARTINEZ
Governor

JOHN A. SANCHEZ
Lt. Governor

Harold Runnels Building
1190 South St. Francis Drive (87505)
P.O. Box 5469, Santa Fe, NM 87502-5469
Phone (505) 827-0187 Fax (505) 827-0160
www.env.nm.gov

BUTCH TONGATE
Cabinet Secretary

J.C.BORREGO
Acting Deputy Secretary

Certified Mail - Return Receipt Requested

October 12, 2016

Mr. Alfonso Carrete, President
EMTS Inc. El Mexicano Truck Salvage
1246 Old Coors S.W.
Albuquerque, New Mexico 87105

RE: EMTS Inc. El Mexicano Truck Salvage; Industrial Permit; SIC 5015; NPDES Compliance Evaluation Inspection; NPDES NMR053090; September 20, 2016

Dear Mr. Carrete:

Enclosed please find a copy of the report for the referenced inspection that the New Mexico Environment Department (NMED) conducted at your facility on behalf of the U.S. Environmental Protection Agency (USEPA). This inspection report will be sent to the USEPA in Dallas, for their review. These inspections are used by USEPA to determine compliance with the National Pollutant Discharge Elimination System (NPDES) permitting program in accordance with requirements of the federal Clean Water Act.

Problems noted during this inspection are listed in the report. You are encouraged to review the inspection report, required to correct any problems noted during the inspection, and to modify your operational and/or administrative procedures, as appropriate. If you have comments on or concerns with the basis for the findings in the NMED inspection report, please contact us (see the address above) in writing within 30 days from the date of this letter. Further, notify in writing both USEPA (Dave Long, USEPA (6EN-WM), 1445 Ross Ave., Dallas, Texas, 75202), NMED regarding modifications and compliance schedules. If you have any questions about this inspection report, please contact Daniel Valenta at 505-827-2575 or at daniel.valenta@state.nm.us.

Sincerely,

/s/Sarah Holcomb

Sarah Holcomb
Acting Program Manager
Point Source Regulation Section
Surface Water Quality Bureau

Cc: Robert Houston, USEPA (6EN-WS) by e-mail
Pam Elder-Schweers, USEPA (6EN) by e-mail
Carol Peters-Wagnon, USEPA (6EN-WM) by e-mail
Dave Long, USEPA (6EN-WM) by e-mail
Darlene Whitten-Hill, USEPA (6EN) by e-mail
NMED District I, William Chavez by e-mail
Alfonso Carrete, EMTS Inc. by e-mail

Form Approved
OMB No. 2040-0003
Approval Expires 7-31-85

NPDES Compliance Inspection Report

Section A: National Data System Coding

1	Transaction Code	2	NPDES	11	yr/mo/day	17	Inspec. Type	19	Inspector	20	Fac Type
	N	5	NMR0530900	12	160920	18	~		S		2

Remarks: SECTOR M AUTO SALVAGE

67	Inspection Work Days	69	70	Facility Evaluation Rating	71	BI	72	QA	73		74	75	Reserved	80
				4		N		N						

Section B: Facility Data

Name and Location of Facility Inspected *(For industrial users discharging to POTW, also include POTW name and NPDES permit number)*	Entry Time /Date	Permit Effective Date
EMTS Inc. DBS El Mexicano Truck Salvage/ 1246 Old Coors SW/Albuquerque, NM 87105/NMR053090	**1104/9-20-2016**	**8-28-2015**
	Exit Time/Date **1205/9-20-2016**	Permit Expiration Date **6-3-2020**

Name(s) of On-Site Representative(s)/Title(s)/Phone and Fax Number(s)

Alfonso Carrete/President/505-242-2131/800-249-3569
Art Quezada/505-224-9550/800-249-3569

Other Facility Data

GPS:
N. 35.060901
W. -106.70871

SIC: 5015
Activity code: M

Name, Address of Responsible Official/Title/Phone and Fax Number

Alfonso Carrete/1246 Old Coors SW, Albuquerque, NM 87105/Company President/ 505-242-2131/800-249-3569

Contacted: Yes [*] No [ ]

Section C: Areas Evaluated During Inspection

(S = Satisfactory, M = Marginal, U = Unsatisfactory, N = Not Evaluated)

S	Permit	N	Flow Measurement	S	Operations & Maintenance	N	CSO/SSO
S	Records/Reports	S	Self-Monitoring Program	N	Sludge Handling/Disposal	N	Pollution Prevention
S	Facility Site Review	N	Compliance Schedules	N	Pretreatment	N	Multimedia
N	Effluent/Receiving Waters	N	Laboratory	S	Storm Water	N	Other:

Section D: Summary of Findings/Comments (Attach additional sheets if necessary)

1. **SEE ATTACHED REPORT AND FURTHER EXPLANATIONS.**

Name(s) and Signature(s) of Inspector(s)	Agency/Office/Telephone/Fax	Date
Daniel Valenta */s/Daniel Valenta*	**NMED/SWQB 505-827-2575**	*10/6/2016*
Signature of Management QA Reviewer	**Agency/Office/Phone and Fax Numbers**	**Date**
Jennifer Foote */s/Jennifer Foote*	**NMED/SWQB 505-827-0596**	*10/6/2016*

NPDES Industrial Storm Water Checklist (MSGP)

National Database Information				General	
Inspection Type	CEI			Inspector Name	Daniel Valenta
NPDES ID Number	NMR053090			Telephone	505-827-2575
Inspection Date	9/20/2016			Entry Time	1104
Inspector Type *(circle one)*	EPA	[State]	EPA Oversight	Exit Time	1205
Facility Sector/ SIC/Activity Code	Sector M			Signature	

Facility Location Information				
Name/Location/ Mailing Address	EMTS Inc. DBS El Mexicano Truck Salvage/ 1246 Old Coors SW/Albuquerque, NM 87105			
GPS Coordinates	Latitude	35.060901	Longitude	-106.70871
Receiving Water(s)	Stormwater may discharge into the City of Albuquerque's MS4 storm drains and thus to the Rio Grande 20.6.4.105.			

Contact Information		
	Name(s)	Telephone
Name(s) and Role(s) of All Parties Meeting the Definition of Operator	Alsonso Carrete/Company President Art Quezda	505-242-2131 505-224-9550
Facility Contact	Alsonso Carrete/Company President Art Quezda	505-242-2131 505-224-9550
Authorized Official(s)	Alsonso Carrete/Company President	505-242-2131

Basic Permit Information			Basic SWPPP Information		
Permit Coverage	[Y]	N	SWPPP Prepared & Available	[Y]	N
Permit Type	[General]	Individual	SWPPP Contents Satisfactory	Y	[N]
Operational Date	9-28-2015		SWPPP Implementation Satisfactory	[Y]	N
NOI/Application Date	8-29-2015		SWPPP Date	6/2015	
If applicable, is no exposure certification on file?	Y	N	*Intentionally left blank*		

NPDES Industrial Storm Water Checklist (MSGP)

SWPPP Review			
General			**Notes:**
Was the SWPPP completed prior to NOI submission?	Y	N	
Copy of the NOI and acknowledgment letter from EPA?	Y	N	
Copy of the permit language?	Y	N	
Have copies of inspection reports/all other documentation been retained as part of the SWPPP for 3 years from date permit coverage expires?	Y	N	n/a
Does the SWPPP contain a signed/certified statement indicating that the site is inactive and unstaffed, and that there are no industrial materials or activities exposed to precipitation, in accordance with the substantive requirements in 40 CFR 122.26(g)(4)(iii)? Applicable to: • Routine facility inspection (4.1.3) • Quarterly visual assessment (4.2.3) • Benchmark monitoring (6.2.1.3).	Y	N	n/a
Does the SWPPP include copies of relevant parts of other documents (e.g., SPCC) referenced in the SWPPP?	Y	N	
Does the SWPPP include documentation to support eligibility under the Endangered Species Act?	Y	N	Criterion A selected.
Does the SWPPP include documentation to support eligibility under the Historic Preservation Act?	Y	N	
Does the SWPPP include documentation to support eligibility under NEPA (New Source)?	Y	N	n/a
Did all “operators” sign/certify the SWPPP?	Y	N	
Is the storm water pollution prevention team identified (name or title)?	Y	N	
Are the storm water pollution prevention team’s responsibilities identified?	Y	N	

NPDES Industrial Storm Water Checklist (MSGP)

Site Description			Notes:
SWPPP provides a description of the facility's industrial activities?	[Y]	N	
Is there a general location map (e.g., USGS quadrangle map) with enough detail to identify the location of the facility and all receiving waters for storm water discharges?	[Y]	N	
Is there a site specific site map?	[Y]	N	
Does the site map contain the size of the property in acres?	[Y]	N	7.0 acres
Does the site map contain the location and extent of significant structures and impervious surfaces?	[Y]	N	
Does the site map contain directions of storm water flow (indicated by arrows)?	[Y]	N	If discharge occurred it would be on the south side of property where a driveway enters the property.
Does the site map contain locations of all existing structural control measures?	[Y]	N	
Does the site map contain locations of all receiving waters in the immediate vicinity of the facility, indicating if any of the waters are impaired, and if so, whether the waters have TMDLs established for them?	Y	[N]	
Does the site map contain locations of all storm water conveyances including ditches, pipes and swales?	[Y]	N	
Does the site map contain locations of all potential pollutants and significant materials identified under Part 5.1.3.2?	[Y]	N	
Does the site map contain locations where significant spills or leaks identified under Part 5.1.3.3 have occurred?	Y	N	No spills recorded.
Does the site map contain locations of all storm water monitoring points?	[Y]	N	
Does the site map contain locations of storm water inlets and outfalls, with a unique identification (e.g., 001, 002) for each outfall and if substantially identical?	[Y]	N	
Does the site map contain municipal separate storm sewers and where the facility discharges to them?	Y	[N]	
Does the site map contain locations and descriptions of all non-storm water discharges?	Y	N	N/a, no non-storm discharges recorded.
Does the site map contain locations of the following activities where these activities are exposed to precipitation? • Fueling stations	[Y]	N	

NPDES Industrial Storm Water Checklist (MSGP)

Site Description			Notes:
• Vehicle and equipment maintenance and/or cleaning areas • Loading/unloading areas • Locations used for the treatment, storage or disposal of wastes • Liquid storage tanks • Processing and storage areas • Immediate access roads and rail lines used or travelled by carriers of raw materials, manufactured products, waste materials, or by-products used or created by the facility • Transfer areas for substances in bulk • Machinery			
Does the site map contain locations and sources of run-on to the site from adjacent property that contains significant quantities of pollutants?	Y	N	N/a, no run-on.
Does the SWPPP document areas at the facility where industrial materials or activities are exposed to storm water and from which allowable non-storm water discharges are released?	Y	N	Very detailed description.
Does the SWPPP include a list of the industrial activities exposed to storm water (e.g., material storage; equipment fueling, maintenance, and cleaning; cutting steel beams)?	Y	N	
Does the SWPPP include a list of pollutants and/or pollutant constituents associated with each identified activity?	Y	N	
Does the SWPPP include documentation of where spills and leaks occurred for three years prior to the preparation of the SWPPP?	Y	N	N/a – no spills were reported.

NPDES Industrial Storm Water Checklist (MSGP)

Site Description			Notes:
Does the SWPPP include a non-storm water discharge evaluation in the SWPPP? Does it include: • Date • Description of evaluation criteria • List of the outfalls or onsite drainage points directly observed • Different types of non-storm water discharges and source locations • Actions taken such as a list of control measures for elimination.	[Y]	N	
Does salt storage occur at this facility?	Y	[N]	
Does the SWPPP include a summary of storm water sampling data for the previous permit term?	Y	[N]	No past sampling data.

Controls to Reduce Pollutants			Notes:
Does the SWPPP include documentation of the location and type of control measures at the facility to comply with the requirements in Part 2?	[Y]	N	
Does the SWPPP include documentation that selection and design of control measures were based on a consideration of the practices and procedures in Part 2.1.1?	[Y]	N	
Does the SWPPP include measures to minimize the exposure of manufacturing, processing, and material storage areas (including loading and unloading, storage, disposal, cleaning, maintenance, and fueling operations) to rain, snow, snowmelt, and runoff by either locating these industrial materials and activities inside or protecting them with storm resistant coverings?	[Y]	N	
Does the SWPPP include good housekeeping measures (e.g., keeping all exposed areas that are potential sources of pollutants clean, using such measures as sweeping at regular intervals, keeping materials orderly and labeled, and storing materials in appropriate containers)?	[Y]	N	

NPDES Industrial Storm Water Checklist (MSGP)

Controls to Reduce Pollutants			Notes:
Does the SWPPP include a schedule for pickup and disposal of wastes and routine inspections of tanks and drums?	[Y]	N	
Does the SWPPP include preventative maintenance procedures, including regular inspections, testing, maintenance, and repair of all industrial equipment and systems, and control measures, and back-up practices should a runoff event occur while a control measure is off-line?	[Y]	N	
Does the SWPPP include a schedule for preventative maintenance procedures?	Y	[N]	
Does the SWPPP include procedures for minimizing the potential for leaks, spills and other releases that may be exposed to storm water and develop plans for effective response to such spills if or when they occur?	[Y]	N	
Does the facility implement procedures for plainly labeling containers (e.g., “Used Oil,” “Spent Solvents,” “Fertilizers and Pesticides,” etc.) that could be susceptible to spillage or leakage to encourage proper handling and facilitate rapid response if spills or leaks occur?	[Y]	N	
Does the facility implement preventative measures such as barriers between material storage and traffic areas, secondary containment provisions, and procedures for material storage and handling?	[Y]	N	
Does the facility implement procedures for expeditiously stopping, containing, and cleaning up leaks, spills, and other releases?	[Y]	N	
Does the facility train employees who may cause, detect, or respond to a spill or leak in these procedures and have necessary spill response equipment available?	Y	[N]	The need for training is discussed in the SWPPP.
Does the facility document and follow procedures for notification of appropriate facility personnel, emergency response agencies, and regulatory agencies?	[Y]	N	

NPDES Industrial Storm Water Checklist (MSGP)

Controls to Reduce Pollutants			Notes:
Does the SWPPP document erosion and sediment controls?	Y	N	
Does the facility stabilize exposed areas and contain runoff using structural and/or non-structural control measures to minimize onsite erosion and sedimentation, and the resulting discharge of pollutants?	Y	N	
Does the facility place flow velocity dissipation devices at discharge locations and within outfall channels where necessary to reduce erosion and/or settle out pollutants?	Y	N	According to permittee representatives no discharges have occurred.
If the facility stores salt at this facility, are the piles enclosed or covered? Does the facility implement appropriate measures (e.g., good housekeeping, diversions, containment) to minimize exposure resulting from adding to or removing materials from the pile?	Y	N	n/a
Employee Training – is there a schedule for regular (at least annually) employee training?	Y	N	
Does training cover both the specific control measures used to achieve the effluent limits in Part 2 and monitoring, inspection, planning, reporting, and documentation requirements in other parts of the permit?	Y	N	
Does the facility ensure that waste, garbage, and floatable debris are not discharged to receiving waters by keeping exposed areas free of such materials or by intercepting them before they are discharged?	Y	N	
Does the facility minimize generation of dust and off-site tracking of raw, final, or waste materials?	Y	N	
Has the facility eliminated non-storm water discharges not authorized by an NPDES permit?	Y	N	

NPDES Industrial Storm Water Checklist (MSGP)

Notes on SWPPP Review

Site Description:

EMTS Inc. is owned and operated by Mr. Alfonso Carrete. The facility occupies 7 acres at 1246 Old Coors Dr., SW Albuquerque, NM 87121. The site is used as a vehicle salvage operation, selling parts from old incapacitated or wrecked vehicles.

Site has a cement berm/curb around the perimeter. Stormwater collects in several shallow retention depressions. Outfall is at side entrance to the site. This paved entrance is sloped toward the street however the yard must be completed flooded before a discharge were to occur. The site is divided by small berms to retain rainfall and prevent it from discharging at one spot.

NPDES Industrial Storm Water Worksheet (Construction)

Inspections (Part 4)			
General			**Notes:**
Routine Facility Inspections			
Are routine facility inspections conducted at least quarterly while facility operating?	Y	N	
Are inspections documented, including: • Date and time • Name and signature of inspector • Weather information and a description of discharge occurring at the time of the inspection • Previously unidentified discharges from site • Control measures needing maintenance or repairs • Failed control measures that need replacement • Incidents of noncompliance observed • Additional control measures needed.	Y	N	
Exceptions, including (see 4.1.3): • Inactive and unstaffed sites	Y	N	n/a
Quarterly Visual Assessment			.
Are quarterly visual assessments conducted?	Y	N	According to permittee representatives no discharges have occurred.
Does the assessment consist of a sample collected: • Within the first 30 minutes of discharge • On discharges that occur at least 72 hours (3 days) from the previous discharge • Collected in a clean, clear glass or plastic container.	Y	N	n/a

NPDES Industrial Storm Water Worksheet (Construction)

Inspections			
Are assessments documented, including: • Sample location • Sample collection date/time & visual assessment date/time • Personnel collecting sample & performing assessment and their signature • Nature of the discharge (runoff or snowmelt) • Results of observations (including color, odor, clarity, floating solids, settled solids, suspended solids, foam, oil sheen and other obvious indicators) • Probable sources of contamination • If applicable, reason for not taking samples within 1st 30 minutes.	Y	N	According to permittee representatives no discharges have occurred.
Exceptions, including (see 4.2.3): • Adverse weather conditions • Climates with irregular storm water runoff • Areas subject to snow • Substantially identical outfalls (per 5.1.5.2) • Inactive and unstaffed sites.	Y	N	n/a
Comprehensive Site Inspections			.
Are comprehensive site inspections conducted annually (start 9/29/08)?	Y	N	
Conducted by qualified personnel including at least one member of the storm water pollution prevention team?	Y	N	
Cover all areas of the facility?	Y	N	
Include a review of monitoring data? Do inspectors consider the results of the past year's visual and analytical monitoring when planning and conducting inspections?	Y	N	According to permittee representatives no discharges have occurred.

NPDES Industrial Storm Water Worksheet (Construction)

Inspections			
Include observations of the following: • Industrial materials, residue, or trash that may have or could come into contact with storm water • Leaks or spills from industrial equipment, drums, tanks, and other containers • Offsite tracking of industrial or waste materials, or sediment where vehicles enter or exit the site • Tracking or blowing of raw, final, or waste materials from areas of no exposure to exposed areas • Control measures needing replacement, maintenance, or repair • All storm water control measures observed.	Y	N	
Are inspections documented, including: • Date of inspection • Names and titles of personnel making the inspection • Findings from examination of areas of facility from Part 4.3.1 • All observations relating to implementation of control measures • Any required revisions to the SWPPP resulting from inspection • Any incidents of noncompliance identified OR certification that facility is in compliance with the permit • A statement signed in accordance with Appendix B, Subsection 11	Y	N	

NPDES Industrial Storm Water Worksheet (Construction)

Monitoring (Part 6)			
General			**Notes:**
Does the SWPPP contain a procedure for conducting sector (and co-located) specific benchmark monitoring?	Y	N	
Does the SWPPP contain procedures for conducting effluent limitations guidelines monitoring?	Y	N	
Does the SWPPP contain a procedure for other monitoring (state or tribal specific; impaired waters; other as required)	Y	N	n/a
Are samples analyzed in accordance with 40 CFR Part 136 methods?	Y	N	n/a
Benchmark Monitoring			
Does the monitoring consist of a sample collected: • Within the first 30 minutes of discharge • On discharges that occur at least 72 hours (3 days) from the previous discharge • Document the date and duration (in hours) of the rainfall event, rainfall total (snow - date only) for that rainfall • Prior to commingling.	Y	N	According to permittee representatives no discharges have occurred.
Is monitoring conducted during each of the first four full quarterly (calendar) monitoring periods following permit coverage?	Y	N	According to permittee representatives no discharges have occurred.
Is the average of the first four quarterly samples < the parameter benchmark?	Y	N	n/a

NPDES Industrial Storm Water Worksheet (Construction)

Monitoring			
Is the average of the first four quarterly samples > the parameter benchmark? • Make the necessary modifications • Continue quarterly monitoring • Determine and document that no further pollutant reductions are technologically available and economically practicable and achievable, continue monitoring once per year, notify EPA • Natural background pollutant level documentation	Y	N	n/a
Exceptions, including (see 6.1 & 6.2): • Adverse weather conditions • Climates with irregular storm water runoff • Snowmelt • Substantially identical outfalls (per 5.1.5.2) • Inactive and unstaffed sites.	Y	N	n/a
Effluent Limitations Monitoring			
Sampled once per year?	Y	N	According to permittee representatives no discharges have occurred.
Follow-up requirements if discharge exceeds effluent limit (see 6.3)?	Y	N	n/a
Other Required Monitoring			
• State or Tribal provisions • Discharges to impaired waters • Additional monitoring required by EPA.	Y	N	n/a
Reporting (Part 7)			
General			**Notes:**
Is monitoring data reported to EPA within 30 days of receiving analytical results for the monitoring period?	Y	N	According to permittee representatives no discharges have occurred.
Is the annual report submitted by 45 days after conducting the comprehensive site inspection?	Y	N	
If follow-up effluent limitations monitoring results exceed numeric limits, was a report submitted to EPA no later than 30 days after results were received?	Y	N	n/a

NPDES Industrial Storm Water Worksheet (Construction)

SWPPP Implementation	
Measures to minimize the exposure of manufacturing, processing, and material storage areas (including loading and unloading, storage, disposal, cleaning, maintenance, and fueling operations) to rain, snow, snowmelt, and runoff	*(e.g., use grading, berming, or curbing to prevent runoff of contaminated flows and divert run-on away; locate materials, equipment, and activities so that leaks are contained in existing containment and diversion systems; clean up spills and leaks promptly using dry methods (e.g., absorbents) to prevent the discharge of pollutants; use drip pans and absorbents under or around leaky vehicles and equipment or store indoors where feasible; use spill/overflow protection equipment; drain fluids from equipment and vehicles prior to on-site storage or disposal; perform all cleaning operations indoors, under cover, or in bermed areas that prevent runoff and run-on and also that capture any overspray; and ensure that all washwater drains to a proper collection system*) Site has covered sheds where trucks are processed before taken to the storage yard. Drained fluids are collected and stored in these areas.
Good Housekeeping	*(e.g., keeping all exposed areas that are potential sources of pollutants clean, using such measures as sweeping at regular intervals, keeping materials orderly and labeled, and storing materials in appropriate containers)* Storage yard is bare ground stained and littered.
Preventative maintenance	*(e.g., regular inspections, testing, maintenance, and repair of all industrial equipment and systems, and control measures, and back-up practices should a runoff event occur while a control measure is off-line)* Control measures are passive engineered BMP's.

NPDES Industrial Storm Water Worksheet (Construction)

SWPPP Implementation	
Spill Prevention and Response	*(e.g., minimizing the potential for leaks, spills and other releases that may be exposed to storm water and develop plans for effective response to such spills if or when they occur)* Detailed SOP's.
Erosion and Sediment Controls	*(e.g., stabilize exposed areas and contain runoff using structural and/or non-structural control measures to minimize onsite erosion and sedimentation, flow velocity dissipation devices at discharge locations and within outfall channels)* Site appears fairly level due to terracing.
Management of Runoff	*(e.g., divert, infiltrate, reuse, contain, or otherwise reduce storm water runoff, to minimize pollutants in discharges)* Site appears fairly level due to terracing.
Salt Storage Piles	*(e.g., enclose or cover piles appropriate measures (e.g., good housekeeping, diversions, containment) to minimize exposure resulting from adding to or removing materials from the pile)* n/a

NPDES Industrial Storm Water Worksheet (Construction)

SWPPP Implementation	
Waste, Garbage and Floatable Debris	*(e.g., keep exposed areas free of such materials or by intercepting them before they are discharged)* Area somewhat ordered and clean.
Evidence of non-storm water discharges	No evidence of non-storm water discharge.
Dust Generation and Vehicle Tracking of Industrial Materials	*(minimize generation of dust and off-site tracking of raw, final, or waste materials)* Site is not paved, exposed sand & gravel. Dust generation may occur in the summer months.

NMED/SWQB
Official Photograph Log

Photo # 1

Photographer: Daniel Valenta	Date: 9/20/2016	Time: 1134 hours
City/County: Albuquerque/Bernalillo		
Location: 1246 Old Coors S.W.		
Subject: Facility is surrounded by a small brick wall to prevent discharge.		

NMED/SWQB
Official Photograph Log

Photo # 2

Photographer: Daniel Valenta	Date: 9/20/2016	Time: 1144 hours
City/County: Albuquerque/Bernalillo		
Location: 1246 Old Coors S.W.		
Subject: Outfall 001, driveway slopes inward except the small area just behind the arrow.		

NMED/SWQB
Official Photograph Log

Photo # 3

Photographer: Daniel Valenta	Date: 9/20/2016	Time: 1145 hours
City/County: Albuquerque/Bernalillo		
Location: 1246 Old Coors S.W.		
Subject: Site has internal berms to level the site and contain any rainfall.		

NMED/SWQB
Official Photograph Log

Photo # 4

Photographer: Daniel Valenta	Date: 9/20/2016	Time: 1145 hours
City/County: Albuquerque/Bernalillo		
Location: 1246 Old Coors S.W.		
Subject: Covered sites where the vehicles are drained and disassembled.		

NMED/SWQB
Official Photograph Log

Photo # 5

Photographer: Daniel Valenta	Date: 9/20/2016	Time: 1137 hours
City/County: Albuquerque/Bernalillo		
Location: 1246 Old Coors S.W.		
Subject: Storage yard.